



Metal Scrap booking requirements

Not Accepted

- 오픈탑(Open-top)또는 냉동/냉장 컨테이너에 메탈 스크랩을 선적하는 경우
- 군수물품 또는 핵관련 산업 또는 위험물 메탈스크랩
- 배터리
- 기름, 플라스틱, 산(Acid) 등이 포함되어 있는 메탈스크랩
- "바젤 협약Basel convention의 Amber list"에 등재되어 있거나 그리고/또는 "통지 절차 Notification procedure"에 해당하는 메탈스크랩
- 적재/하역 중에 컨테이너를 수직으로 세워서 작업한 경우

Accepted Policy

- 가방이나, IBC 또는 드럼으로 적절하게 포장한 경우
- 꾸러미나 구획으로 나뉘서 선적한다면, 빈 공간은 별도의 자재로 매워서 운송 중에 움직이지 않도록 한 경우
- 메탈스크랩은 반드시 건조해야 합니다. 눈, 비 또는 수분들은 선적 전에 반드시 배출하거나, 깨끗이 처리되어야 합니다.
- 메탈스크랩은 반드시 "바젤 협약Basel Convention"에 의해 분류되어야 하고 수입지의 규정을 준수해야 합니다.
- 유럽연합(EU)지역에서 출발/도착 혹은 통과하는 화물은 반드시, Annex VII을 반드시 위 요구 사항에 맞춰서 송하인이 제시해야합니다. 관련규정: [Waste shipments \(europa.eu\)](http://Waste%20shipments%20(europa.eu))

Bulk Stuffing

- 화물의 성격 상 컨테이너의 내벽과 바닥은 반드시 합판/베니어판이나 깔개를 반드시 아래 사진처럼 깔아야 합니다.
- 단단한 격벽이 반드시 문 끝에 설치되어야 합니다.
- 컨테이너는 적재/하역 중에 최대 15도까지 기울일 수 있습니다.
- 공 컨테이너는 깨끗하고 냄새가 없는 상태로 반환되어야 하며, 컨테이너를 보호하기 위해 사용된 잔여물이나 깔개 등이 없어야 합니다.



당사는 위의 요건을 준수하고, 화물이 방사능에 누출되지 않았음을 확인합니다.

Booking No:

Container Numbers:

일자, 장소가 포함된 직인과 명판을 위에 찍어주시기 바랍니다.



Metal Scrap booking requirements

Not Accepted

- Scrap in OT or Reefer container
- Military or nuclear industry or dangerous goods scrap
- Batteries
- Scrap contaminated with oil, plastic, acid etc
- Scrap classified under "Basel convention amber list and/or "notification procedure"
- Containers may not be placed in an upright position during loading/unloading

Accepted Policy

- Preferable packed in bags, IBC (big bags) or drums
- If in bundles or blocks, free spaces should be filled with segregation material to avoid movement of the cargo during transport
- Scrap must be dry. Snow, rain water etc. must be drained / cleared before loading
- Scrap must be classified under "Basel convention" and comply with import restrictions
- From/to or through European Union, an Annex VII must be presented by shipper upon request

Bulk Stuffing

- Container walls and floor must be covered plywood sheets or liner depending on the nature of the cargo (see photo below)
- Solid bulkhead must be installed at the door end
- Containers are allowed to be tilted to a maximum of 15 degrees during loading/unloading
- Empty container has to be returned in clean and odourless condition, free of residues and dunnage used to protect the container



We confirm that we comply with above requirements and cargo is free from radioactivity.

Booking No:

Container Numbers:

Date, place, signature and stamp